

FIG. 2







FIG. 3

User mode	Discoverability mode	Connectability mode	Pairing mode	Security mode	Encryption
Office	Available	Available	Available	Link level	Available
Mobile	Unavailable	Unavailable	Available	Link level	Available
Home	Available	Available	Available	Unavailable	Unavailable
Other	Available	Available	Available	Unavailable	Unavailable

FIG. 4






FIG. 8




FIG. 9




FIG. 10

User mode property (OTHER) ✕

Automatic power-on select    Mode

311 Discoverability mode

☐ Non-discoverable mode (I)

☒ Discoverable mode (D)

312 Connectability mode

☐ Non-connectable mode (O)

☒ Connectable mode (C)

313 Pairing mode

☐ Non-pairable mode (R)

☒ Pairable mode (P)

314 Security mode (S)

☒ Encryption (E)

315 Default (F)

OK    Cancel    Application (A)

FIG. 11

User mode property (OTHER) ✕

Automatic power-on select Mode

321 { ☐ Automatic power-on select is valid (E)  
☒ Automatic power-on select is invalid (B)

User mode (U):

322 Others ▼

Device list

All discovered device lists (I):

323

Device Name	Device Address	
PRINTER	00:03:7a:00:3a:0c	▲
TELEPHONE	00:03:7a:00:39:a7	
DEV_1	00:03:7a:01:2b:71	▼

325 Add (D) Delete (L)

Selected device list (S):

324

Device Name	Device Address
None	

Default (F)

OK Cancel Application (A)

FIG. 12



Automatic selection list

User mode	Device address
OFFICE	
MOBILE	
HOME	
OTHER	

FIG. 13




FIG. 14




FIG. 15